







6













12





13

14









18



19











24





26







29



30



 Ocalar Response Analyzer G3

 Measurement Values, Range, and Interpretation

 Measurement Values, Range, Analyzer G3

 Measurement Values, Range, Analyzer G4

 <td









36



Question Which method of IOP measure should only be used for glaucoma diagnosis, treatment, and management? Many methods are acceptable

Greg Caldwell, OD, FAAO Greg@optometricedu.com 814-931-2030 cell

35



| Early Dete | ction |
|--|-------|
| Arr Patients are expecting it Arr Diagnostic equipment keeps evolving | |
| జ∕ Rabin Cone Contrast Test జ∕Genetic Testing | |
| ↔ Dark Adaptation ↔ Preferential Hyperacuity Perimetry (PHP) ↔ ERG/VEP testing | |
| | |
| | |

40

Ocular Structure and Visual Function

مح Structure precedes functional damage مح Function precedes structural damage مح Both damage visible simultaneously



41



- Early Detection: Function precedes structure in many conditions, highlighting problems before structural damage occurs
- Progression: Functional tests plays a critical role in detecting sub-clinical progression
- Improvement: Structural tests demonstrate stability; only functional tests can demonstrate improvement

42





| AMD/Glassens | Babetes | Neurological | Context | |
|---|---|---|---|--|
| Other begins with led and or Shown pagedocare and Shown pagedocare alter and alter and alter and alter at an alter and alter at a set and degradedee, programs to sets | Demage in steep reliast been reacts without one elefication of the gangless call incerpte 8 cotto terms head scalar charges in religions a Mothemal schemast case effect all core types | General degradation of all 0 cover lyses ¹ More presented table Regradation that restore tables for science discover stage | Audioan subarrie tati an a Ravelogi fato allering the dentes avec lengths to a lengths to a lengths read and groun ¹ | |
| | Engine with tradition ling solution, payments to server | | | |







47











What's New in Visual Fields



54











59



60









64



65



66



67



68





70



71



72









76



77



78





Greg Caldwell, OD, FAAO Greg@optometricedu.com 814-931-2030 cell

79











84



85



86







89



90





92









96









100



101



102





103





106







108



109

















116





- ↔ Non-specific finding
- Ar However, when associated with glaucoma it typically indicates you should:
 - *Initiate a more careful monitoring
 - *Re-evaluate the therapy you are doing
 - *Treat the patient if not being treated

118



119



120



121



122







125



126





